



easy**DAB+6BT**  
**English Manual**



## Introduction

Thank you for choosing the VST easyDAB+6BT.

This user manual will get you up and running in no time. The manual is in english and norwegian

## Safety



Before you use your VST easyDAB+6BT, read the following safety instructions.

1. Follow the operating instructions provided and take note of any warnings.
2. If you do not follow the operating instructions provided, it may compromise the safety of your product and this may invalidate the warranty.
3. Only use the supplied 12/24V power adapter with your product.
4. Do not install your product in a way that may interfere with the safe operation of the vehicle, or affect the deployment of air bags or other safety items.
5. Do not install cables and wires near the steering wheel.
6. Do not place your product on or near sources, if the unit placed on the ventilation holes, close the air vent.
7. Do not use your product in a way that may cause careless driving or improper control of your vehicle.
8. Keep your product dry and only clean with a dry cloth.
9. Do not expose your product to naked flames.
10. Keep fuse away from children. If the fuse compartment does not close securely, do not use the product and keep it away from children.
11. If you think someone has swallowed or placed a fuse inside their body, seek medical attention immediately.
12. Do not use your product in extremely hot or cold temperature.
13. If you need to connect your product to the rear of your vehicle's head unit, remove any power before you start to install your product.
14. When you have safely installed your product, you can reconnect the power. See your vehicle's owner's manual for more information.
15. Do not use the product if it is damaged.
16. Product repairs should only be carried out by authorised personnel.
17. Electric and electronic equipment is marked with the crossed out trash can symbol, seen below. This symbol signifies that electric and electronic equipment, fuse and batteries should not be disposed of with other household waste, but should be disposed of separately.



# Contents

|   |           |
|---|-----------|
| Introduction  | 2         |
| Safety  | 2         |
| Contents  | 3         |
| Overview  | 4         |
| What's in the box   | 4         |
| Controls  | 5         |
| Display icons   | 6         |
| Connecting and positioning the antenna                      | 7         |
| Positioning the antenna                                     | 8         |
| Installing your VST easyDAB+6BT                             | 8         |
| Where to install your Highway                               | 9         |
| Overview the controls                                       | 10        |
| Listen to DAB+radio   | 11        |
| Streaming from phone and tablets                            | 11        |
| Listen to music from Micro SD memory card and extern device | 12        |
| Charge others device on the way                             | 12        |
| Presets   | 12        |
| Troubleshooting   | 13        |
| <b>Technical specifications</b>                             | <b>14</b> |

# Overview


## What's in the box

Before you get started, check you have everything below.

### Package contents




DAB/DAB+ Receiver



Cigarette socket adapter



→ Active antenna  
(pict illustrated)



Dual USB Charger

USB-cable



Fuse



Holder for the air vent

## Overview Controls:

### **TX/SCAN Button**

**TX:** Press to modulate the FM frequency.


**SCAN:** Long press to auto the full of DAB/DAB+ stations.

Microphone

### **Preset Button**

Press to display the list of preset DAB/DAB+ radio. Rotate the spin button to choose and confirm the channel.

Long press to record the current DAB/DAB+ radio channel.



### **Info/Menu Button**

**Info:** Under the DAB state, press to see the DAB/DAB+ radio information.

**Menu:** Long press to enter into the sub-menu. Rotate and short press the spin button to choose and confirm the sub-menu. Press to exit once selected.

Volume

System reset

Version

DAB manu tune: scan the DAB/DAB+ channel manually

Language: English/Norwegian/German/French/Italian/Danish/Dutch

### **Mode Button**

Press to switch the modes between DAB/BT/Mirco SD/Aux-in

### **Spin Button**

**Select/ Play/ Pause/ Pick up/ Hang off/ Active Siri**

Press to select.


Rotate in clockwise and anticlockwise to forward and backwad.

Press to pick up/hang off the phone calls when get pone calls.

Press to play/pause the music under music state.


Long press to active the Siri function.

Power on/off



Micro SD  
card slot


Micro USB  
Charging Port




Antenna Jack

Line-out, Earphone Jack


Aux-in






### Display Icons

Possibilities with the VST easyDAB+6BT, the display tell you when :

- "DR" = Digital radio mode
- "  " = Bluetooth mode
- "SD" = Memory card Micro SD mode
- No icons = AUX-in

## 1. Antenna installation

- Make sure your antenna was not snapped while shipping
- Identify the location of antenna well before fixing, use tape until you find the best radio-signal in the car.
- The adhesive on antenna will be decreased a lot at next time
- Some front routes contains lead, sunfilter, foil and others who will reduce signal. Use rather then another side or rear stationary window
- Dry and clean your windscreen
- Make sure the length will be enough under your route.
- Gently Unpeel the backing of the antenna and attach to your windscreen, then apply gentle pressure until the film is held firmly position. **Ensure the grounding-stripe on antenna is attached to steel**
- Hide the cable from the antenna to the easyDAB+ unit, be careful do not kink or coil the cable
- Connect the antenna to the female MCX "gold" contact on right side on easyDAB+ unit
- ***NB! The antenna have always to be placed vetikal. Please also read instruction attached the antenna***



## Installing VST easyDAB+6BT

### 2. Connect the power supply

- Put the host part into the docking; insert the power supply plug into the car cigarette power port, Switch on the unit by “on/off” Switch.
- If you use the Dual USB car charger for charging, sink the magnet holder into the air vent, Connect the charger and Holder with Micro USB cable)

### Connecting to your Car Radio system

#### There are two options to connect the Car Radio system

- If you want to use an auxiliary cable (Recommend for best performance), Check the auxiliary inputs on the existing car audio system.
- If you want use an FM Transmitter, Press "<sup>TX</sup>·SCAN" button the screen will show the current FM transmitting frequency. Turn the spin button to adjust the frequencies manually.
- Switch the car radio's FM frequency to the frequency just set on the device, and then the sound will transmit to the Car's radio and come out from the Car Stereo.

### Getting the best DAB signal

As with FM radio, DAB signal coverage changes depending on your location. As you use the easyDAB+ in your vehicle, you may travel through areas where DAB signal coverage is poor. To help get the best DAB signal when coverage is poor or there is a weak signal:

- Follow the installation instructions carefully.
- Ensure the antennas grounding stripe is attached steel.
- Use the supplied 12V power adapter, as other third-party adapters can cause interference.
- Switch off other devices in your vehicle that aren't in use. Devices such as satellite navigation systems and dashboard cameras can cause interference.



## There are more options to place the VST easyDAB+6BT

- Plug in socket adapter



- Attract on air vent



- Its also possible to mount it direct on the dashboard with Dual Lock Tapes (not included)


## Overview Controls:

### **TX/SCAN Button**

TX: Press to setting the FM frequency.  
SCAN: Long press to auto the full of DAB/DAB+ stations.

### **Preset Button**

Press to listen to the preset DAB/DAB+ radio.  
Long press to record the current DAB/DAB+ radio channel.



DAB/DAB+ Receiver

### **Info/Menu Button**

Info: Under the DAB state, press to see the DAB/DAB+ radio information.  
Menu: Long press to enter into the sub-menu. Press to exit once selected.

### **Mode Button**

Press to switch the modes between DAB/BT/Mirco SD/Aux-in

### **Multifunctional Button**

#### **Select/Play/Pause/Answer/Hang off**

Press to select.

Turn to browse stations, tracks and menu items.

Press to answer/hang off the phone call.

Press to play/pause the music.

## Listen to digital Radio

1. Press the Mode button to switch the mode to DAB
2. Press the " <sup>TX</sup>SCAN " button to full Scan of DAB/DAB+ stations (showing "scanning..." on the screen). Once it finished, it will play the first DAB/DAB+ Chanel automatically
3. Rotate the "Spin Button Control" to choose you desired DAB/DAB+ channels.
4. Click the the Info/Menu button to check the DAB/DAB+ info or adjust the menu.

## Streaming Music & call from your phone or tablet

1. Press the Mode button to switch the mode to BT
2. The first time the devices display "unconnected". Activate your mobile phone's Bluetooth function, then search new device. When the mobile phone detects this unit (named as "VST DAB6"), then press this name to connect;
3. **After connection the screen with display "connected". Now can stream the music from the mobile phone.**
4. Operate the Spin Button Control to play/pause or adjust previous/next songs.
5. In any mode, when there is an incoming call, this unit will automatically switch to telephone mode. It will display "Calling", press the Spin Button Control to pick up the phones, then screen display "In Call".

### **Listen to Music from Micro SD**

1. Press the Mode button to switch the mode to Micro SD
2. Plug in the Micro SD card which contain MP3 files into the card slot, then enjoy the music
3. Operate the Spin Button Control to play/pause or adjust previous/next songs.

### **Listen to Music from external audio device**

This device supports other external device. Use the provided audio cable to connect another external device to the AUX input of this unit. Press the Mode button to switch the mode to AUX then enjoy.

### **Charge other devices on the way**

- There is an USB charging slot in socket adapter with 5V/2.1A output, connect the USB port to your mobile devices with the charging cable (Not Included), it will serve as a charger.
- The Dual USB car charger has an extra USB charging slot, total output is 5V/2.1A. Connect the USB port to your mobile devices with the charging cable (Not Included); it will serve as a charger.

### **Preset**

1. Press the Preset button when you want to save a radiostation
2. Rotate the spin wheel for choose empty program
3. Press the spin wheel
4. Long Press the Preset button
5. Now your favorit channel is saved
6. There is total 20 preset programs

## Troubleshooting

| Problem   | Possible cause  | Solution  |
|---|---|---|
| Displays "NO DAB STAT"                            | <ul style="list-style-type: none"> <li>No signals from antenna or travelling through area with weak DAB-signal</li> </ul>                                     | <ul style="list-style-type: none"> <li>Press "preset" and "spin"</li> <li>Scanning the DAB+band</li> <li>Check the antenna-plug</li> <li>Antenna right mounted (vertikal)</li> </ul>  |
| No sound in the car-stereo                        | <ul style="list-style-type: none"> <li>No connection between VST unit and car-stereo</li> </ul>   | <ul style="list-style-type: none"> <li>If FM-transmitter used: check TX, frequency similar on VST and car radio</li> <li>Right modus (DAB/BT/Micro/AUX)</li> </ul>  |
| No light in the display                           | <ul style="list-style-type: none"> <li>On/off button</li> <li>Check the power and fuse</li> </ul>   | <ul style="list-style-type: none"> <li>Press on/off button</li> <li>Change fuse in plug, Dual charger or in the fuse-box in the car. Check with a dealer to check why the fuse blows</li> </ul>                                       |
| My VST easyDAB+ keeps losing digital radio signal | <ul style="list-style-type: none"> <li>You are travelling through areas with weak DAB-signal</li> <li>Your VST easyDAB+ is not installed correctly</li> </ul> | <ul style="list-style-type: none"> <li>Check DAB coverage in our area</li> <li>Check installation instruction in this manual</li> </ul>   |
|   | <ul style="list-style-type: none"> <li>Something is causing interference</li> </ul>   | <ul style="list-style-type: none"> <li>Switch off navigation system, dashboard cameras or other devices to see if the signal improves</li> <li>Use the supplied 12V power adapter as other adapters can cause interference</li> </ul> |

## Technical specifications

- Radio: Digital DAB/DAB+
- Frequency ranges: Band III 174-240 MHz
- FM Transmit range: 87.6-107.9 MHz
- Display: VA display
- Power input: DC12-24V
- Charging output: 5V/2.1A
- Bluetooth module: ATS V4.2
- Bluetooth protocol:
  - A2DP Advanced Distribution Profile
  - AVRCP Audio Video Remote Control Profile
  - HFP Hands-Free Profile
- Storage: Micro SD card up to 32GB (not included)
- Microphone:  $\phi$ 4.0MM\*1.3MM
- Input/Output Connectors: 3.5mm stereo output connecting to car stereo aux-in (if available)
- Temperature range: Operational temperature: -20°C to + 70°C
- Storage temperature: -30°C to + 80°C

### Correct disposal of this product

This marking indicates that this product and packaging should not be disposed with other household waste throughout the EU and EFTA. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection system or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.

Electric and electronic equipment is marked with the crossed out trash can symbol, seen below. This symbol signifies that electric and electronic equipment and batteries should not be disposed of with other household waste, but should be disposed of separately.



## Tekniske spesifikasjoner

- Radio: Digital DAB/DAB+
- DAB+ Frekvensområde: Band III 174-240 MHz
- FM Overførings frekvenser: 87,6-107,9 MHz
- Display: VA display
- Strøm inn: DC12-24V
- Ladestrøm: 5V/2.1A
- Bluetooth modul: ATS Versjon 4.2
- Bluetooth protokoll: A2DP Advanced Distribution Profile
- AVRCP Audio Vide Remote Control Profile
- HFP Hands-Free Profile

- Minne: klar for Micro SD minnekort opp til 32GB (ekstrautstyr)
- Mikrofon:  $\phi 4.0\text{MM} \times 1.3\text{MM}$

- AUX Line inn/ut - mini-jack plugg: 3.5mm stereo utgangen kan benyttes for kabling til bilens lydsystem (hvis tilgjengelig AUX-inn)

- Arbeidstemperatur: -20°C to +70°C
- Lagrings temperatur: -30°C to +80°C

## Riktig miljøhåndtering ved kassering

Symbolene under indikerer at dette produktet og emballasjen skal håndteres separat fra annen avfall. Takk for deres hjelp til å bevare miljøet og unngå helsefarlig avfall-håndtering og samtidig sikre resirkulering, skal WEEE/el-avfall leveres til utsalgs-steder av forbruker-elektronikk, og papp-emballasje skal leveres til egne avfallscontainere.

Søyledunken med kryss over under her, indikerer at all form for elektronikk, elektronikk-tilbehør, batterier og sikringer skal leveres separat til utsalgssteder av forbrukerelektronikk. I Norge koster det ingenting å levere dette hos forhandler. Norsk importør Veibel AS er medlem hos Grønt Punkt Norge AS og Renas AS. Med forbehold om feil og avvik fra tekniske data, bilder, tegninger i bruksanvisningen. [www.easydab.no](http://www.easydab.no)



| Problem  | Årsak  | Løsning  |
|--|--|--|
| <p><b>Display "NO DAB STATION"</b></p> <ul style="list-style-type: none"> <li>Ingen signal til antennen eller bilen er inne i et område med svake DAB-signaler</li> <li>Sjekk antenne-kontakten</li> <li>Scanne/søk etter DAB+kanaler</li> <li>Er antennen riktig montert (vertikalt)</li> </ul> | <p><b>Ingen lyd i bilens lydsystem</b></p> <ul style="list-style-type: none"> <li>Ingen kontakt mellom easyDAB-enheten og bilens lydsystem</li> <li>Hvis FM-sender benyttes: sjekk TX, easyDAB+ og FM-bilradio er FM-frekvens samme på easyDAB+ i rett modus (DAB/BT/Micro/AUX) veig med MODE-knapp</li> </ul>   | <p><b>Ingen lys i display</b></p> <ul style="list-style-type: none"> <li>AV/På knapp</li> <li>Sjekk strømforsyning og sikring</li> <li>Trykk på AV/På knappen</li> <li>Skift sikring i pluggen, Dual laderen eller i bilens sikringsbok. Sjekk da i så fall med bilforhandler for årsaken til sikring har røket</li> </ul> |
| <p><b>Hvorfor mister jeg radiosignal</b></p> <ul style="list-style-type: none"> <li>Bilen kjører i områder med ingen eller dårlig DAB-signal</li> <li>easyDAB+ og antennen er ikke riktig montert</li> <li>Det er forstyrrelser/støy</li> </ul>  | <ul style="list-style-type: none"> <li>Sjekk det er DAB+signal i området på radio.no</li> <li>Sjekk monteringen i.h.t. til bruksanvisning eller hos bilforhandler/verksted</li> <li>Sett GPS/navigasjonen, dashboard-kamera e.a. i passiv (AV) Viktig at 12V-strøm-adapter som følger med benyttes, strøm-adapter fra tredjepart kan forårsake støy</li> </ul> |  |



## Lytt til musikk fra Micro SD minnekort

Trykk på MODE-knappen for å skifte modus til Micro SD  
Plugg inn Micro SD-kort som inneholder MP3-filer inn i kortsporet, og nyt musikken  
Benytt hjul-knappen for å spille av / pause eller forrige / neste sang.

## Lytt til musikk fra ekstern lydenhet

Denne enheten støtter annen ekstern enhet. Bruk medfølgende audiodokabel for å koble en annen ekstern enhet til AUX-inngangen på denne enheten. Trykk på MODE-knappen for å skifte modus til AUX deretter bare nyt.

## Lade andre enheter underveis

- Det er et USB-ladespor i tenner-kontakt-adapteren med 5V / 2.1a utgang, koble til USB-porten på dine mobile enheter med ladekabeln (ikke inkludert), vil den fungere som en lader.
- Dual USB billader har også et ekstra USB-ladespor, den totale ladestrøm er 5V / 2.1a. Koble USB-port til dine mobile enheter med ladekabel (ikke inkludert), vil denne også fungere som en lader.

## Preset

1. Trykk Preset knappen når du ønsker å lagre radio-stasjonen du hører på, som hurtigvalg
2. Roter hjul-knappen for å finne ledig programnummer
3. Trykk hjul-knappen når ledig program er funnet
4. Hold inne Preset knappen for lagring
5. Nå er en av dine favorittkanaler lagret og kan velges med preset og hjul-knappen neste gang
6. Det er totalt plass til 20 favorittkanaler

1. Trykk på MODE-knappen for å skifte til DAB
  2. Trykk på "0000"-knappen til autosøk av alle tilgjengelige DAB/DAB + stasjoner (viser "scanning ..." på skjermen).
- Når den er ferdig, vil den spille den første DAB/DAB+kanalen automatisk
1. Rotér hjul-knappen for å bla igjennom DAB/DAB + kanaler, trykk på hjul-knappen for å velge
  2. Klikk på Info/Meny-knappen for å sjekke DAB/DAB+ infotekst eller for å gå inn i menyen.

## Strømming av musikk og telefonsamtaler fra mobiltelefon eller nettbrett

1. Trykk på MODE knappen for valg av BT-modus (Bluetooth versjon 4,2)
2. I starten viser enheten "trakoblet". Aktiver mobiltelefonens Bluetooth-funksjon, deretter må man søke etter ny enhet. Når mobiltelefonen oppdager denne enheten (navngitt som "VST DAB6"), og trykk deretter velige navnet for å koble sammen (pairing)
3. Etterhvert vil forbindelsen vises på display som "Connected" ("tilkoblet"). Nå er det mulig å strøomme musikk fra mobiltelefonen.
4. **Nå kan hjul-knappen benyttes som fjernkontroll med funksjonene Play / pause eller previous/next sang**
5. I alle modus, når det er et inntkommende anrop, vil denne enheten automatisk bytte til telefonmodus. Det vil vise "Calling", du trykker på hjul-knappen og tar da imot samtalen viser displayet "in call"

**VST easyDAB+6BT er fleksibel og plassere**

- VST easyDAB svanehals-kontakten med den smarte easyDAB-magnet-tilkoblingen



- Holder for ventilasjonsdydene



- Enheten kan også plasseres direkte på dashbordet med "borrelås" (ikke inkludert)

## Installering av VST easyDAB+6BT

### 2. Koble til strømforsyningen


Sett svanehals-kontakten på den smarte easyDAB+magnet-tilkoblingen, deretter støpselet i bilen sigaretteneer-kontakten. Slå på enheten med "av/ på" bryteren på toppens høyre side på DAB-enheten.

Hvis man ønsker å benytte Dual USB billederen for lading, monter magnet-holderen inn i ventilasjonsdysen , koble til med Micro USB-kabel.

▲ Forsiktig: Kontroller at ladekontaktene sitter rette veien! Ellers vil ikke enheten slå seg på!

### Koble til bilradioen lydsystem

Det er to alternativer for å tilkoble bilradioen lydsystem


Hvis du ønsker å benytte AUX-kabel (anbefales), Sjekk i så fall om bilens eksisterende lydsystem har AUX-inngang. Hvis FM-senderen benyttes (trådløs), Trykk  knappen og på skjermen vises det nåværende FM sendefrekvens. Rotér på hjul-knappen for å justere frekvenser manuelt.

Justér bilradioens FM-frekvens til samme, og deretter vil lyden overføres til bilradio og komme ut fra bilens høyttalere.

## Oversikt funksjoner

**TX/SCAN knapp**  
TX: Trykk for valg av FM-frekvens for trådløs lydoverføring  
SCAN: hold inne for søk av alle tilgjengelige DAB+kanaler

**Preset knapp (Favorittkanaler)**  
Trykk for liste over forhåndsstilte DAB+kanaler. Roter hjul-knappen for valg av programnummer og bekreft med trykk. Hold inne Preset for lagring.



VST easyDAB+6BT  
DAB+mottaker

### Hjul-knappen (rottere og trykk)

Valg/Spill/Pause/svar/legg på  
Trykk for valg  
Roter med klokken og mot klokken for spilling  
fram og tilbake  
Trykk for svare/legg på telefonsamtaler

### Modus knapp

Valg DAB/BT/MicroSD/AUX-inn

**Info/Menu knapp**  
Info: Valg av tilgjengelig tekst informasjon fra DAB-radio  
Menu: Hold inne og menyoversikt vises. Roter og trykk hjul-knappen for valg og bekreft under-menyer  
Trykk for å avslutte et valg  
Volume  
System reset (fabrikkinnstilling)  
Version  
Søk manuell  
Language: English/Norwegian/German/French/Italian/

## Montering av antennen

Finn ut hvilken plassering som gir best signal for antennen før monteringen permanent. Bruk gjerne vanlig tape midlertidig, inntil det beste signalmottaket i bilen er funnet med litt prøving.

Husk klebemottaket i bilen er funnet med litt prøving og festing på nytt.

Noen frontruter inneholder bly, sølffilter, folie og annet som vil redusere signalet. Benytt eventuelt annen fast side- eller bakrute. Tørk og rengjør ruten før man fester antennen permanent.


Kontroller at lengden på antennen passer i vindusruten.

Ta forsiktig av beskyttelsespapiret på antennen og fest den til frontruten , og trykk deretter forsiktig så den sitter. Sikre jordingsstripen på antennen blir festet til stål, det er som regel ikke nødvendig å fjerne lakk.

Skjul kabelen under dekselet fra antennen til easyDAB + enheten, vær forsiktig og kabelen **MÅ IKKE** knekkes eller rulles sammen å kveiles, knyttes e.l.

Antennen kobles til MCX-hun kontakt på høyre side øverst på easyDAB+enheten.

NB! Antenne skal alltid plasseres vertikalt (loddrett), se tegning under. Les også instruksjonen som ligger sammen med antennen




## Å få det beste DAB-signalet

Som med FM-radio, DAB signalet deknings avhengig av hvor du befinner deg. Når du bruker easyDAB + i bilen din, kan du reise


gjennom områder der DAB-signalet deknings er dårlig. For å bidra til å få den beste DAB-signalet når deknings er dårlig :

I Følg monteringsanvisningen nøye.- I sikre at antennejordingsstripen er festet på stål.- I Bruk medfølgende 12V strømadapter, da andre tredjeparts adaptere kan forårsake forstyrrelser.—I Slå av andre enheter i bilen som ikke er i bruk. Enheter som satellittnavigasjonssystemer og dashboard kameraer kan forårsake forstyrrelser.





- Ingen = AUX-inn
- "SD" = Minnekort Micro SD
- " " = Bluetooth 
- "DR" = Digital radio

Øverst til venstre i displayet vises hvilken modus som er valgt:

Display forklaringer



## Øversikt funksjoner





## Hva inneholder esken



easy DAB+mottaker




Aktiv antenne

USB-kabel



Magnet-holder for  
ventilasjonsdyser



Svanhals-kontakt med smart  
magnet-tilkobling



Dual USB-kontakt som  
strømtilførsel og lade-funksjon



Sikring

Med forbehold om enkelte bilder og tegninger er  
illustrasjoner og kan avvike i design og farger.

## Innholdsfortegnelse

|    |   |
|----|---|
| 2  | Introduksjon  |
| 2  | Sikkerhet   |
| 3  | Innholdsfortegnelse   |
| 4  | Hva ligger i esken  |
| 5  | Øversikt funksjoner   |
| 6  | Display iconer  |
| 7  | Tilkobling og plassering av antennen                              |
| 8  | Øversikt knappar på DAB-enheten                                   |
| 9  | Strømtilkobling og tilkobling mot bilens lydsystem                |
| 10 | Fleksibel plassering av VST easyDAB+BT                            |
| 11 | Lyt på DAB+, strømming av musikk og mobil-samtaler                |
| 12 | Lyt til musikk fra minnekort og ekstern lydkilde, favorittkanaler |
| 13 | Fellessøking  |
| 14 | Tekniske spesifikasjoner — miljøhåndtering                        |

## Introduksjon

Takk for at du har valgt VST easyDAB+6BT. Denne bruksanvisningen vil hjelpe deg i gang på kort tid.

## Sikkerhet

▲ Les følgende sikkerhetsinstruksjoner før du bruker VST easyDAB+6BT.

Følg bruksinstruksjonene som medfølger og merk deg alle advarsler.

Hvis du ikke følger bruksinstruksjonene som medfølger, kan det compromittere sikkerheten til produktet og dette kan ugyldiggjøre garantien.

Bruk kun den medfølgende 12 V strømadapteren med produktet.

Installer ikke produktet på en måte som kan forstyrre sikker drift av kjøretøyet eller påvirke utløsninger av kollisjonsputer eller annet sikkerhetsstyr. Installer ikke kabler og ledninger i nærheten av ratet.

Plasser ikke produktet på eller i nærheten av varme, monteres enheten foran ventilasjonsdysene, anbefales det å slå av viften og stenge spjeldet.

Bruk ikke produktet på en måte som kan forårsake uforståelig kjøring og dårlig kontroll over kjøretøyet.

Hold produktet tørt og rengjør det kun med en tørr klut.

Eksponer ikke produktet mot åpen ild.

Bruk sikringer av typen som er oppgitt i bruksanvisningen, og sett sikringen riktig inn.

Ikke kast enheten eller medballasjem, lever det en sted hvor det blir behandlet på en miljøvennlig måte. Hold batteriene unna barn. Hold sikringer eller annet unna barn. Hvis du tror at noen har svelget et en sikring eller fått det inne i kroppen, må du straks kontakte lege.

Bruk ikke produktet i ekstremt varme eller kalde temperaturer.

Hvis du må koble til produktet til baksiden av kjøretøyet hovedenhet, må du fjerne strømmen før du begynner å installere produktet. Når produktet er sikkert installert, kan du koble til strømmen igjen. Se kjøretøyet bruksanvisning for mer informasjon.

Bruk ikke produktet hvis det er skadet.

Produktreparasjoner skal kun utføres av autorisert personale.

Elektrisk og elektronisk utstyr er merket med kryss søppelbøtte symbol, sett under. Dette symbolet angir at det elektriske og elektroniske utstyr, sikring og batterier ikke skal kastes, men skal leveres til forhandler av elektronikkprodukter for miljøvennlig håndtering.





# Norsk bruksanvisning

## easy DAB+6BT

